



STI MANUFACTURING, INC.

STYLE 8RF_{IXED}

SHEATH TYPE RTD WITH FLEXIBLE INSULATED LEAD WIRE FOR MAXIMUM OPERATING TEMPERATURE OF 1200 DEG. F. 22 ga. LEAD WIRE STANDARD, OTHER GAUGES AVAILABLE.




STI MANUFACTURING, INC.

STYLE 8RF OPTIONS

INDUSTRIAL RTD HEADS

3/4" NPT CONDUIT
1/2" NPT INSTRUMENT




AVAILABLE MATERIALS
CAST IRON
CAST ALUMINUM
POLYPROPYLENE
*STAINLESS STEEL
*SPECIAL ORDER

TERMINAL BLOCKS ARE CERAMIC PORCELAIN WITH BRASS TERMINALS

EXPLOSION PROOF HEADS

3/4" NPT X 3/4" NPT PORTS
*1/2" OPTIONAL




TERMINAL STRIPS ARE PHENOLIC

AVAILABLE MATERIALS
CAST ALUMINUM

GROUND SCREWS ARE AVAILABLE - SPECIFY UNDER ADDITIONAL REQUIREMENTS

INDUSTRIAL RTD HEADS HINGED TYPE -WEATHER TIGHT SEAL NEMA 4 RATING

3/4" NPT CONDUIT
1/2" NPT INSTRUMENT




AVAILABLE MATERIALS
CAST ALUMINUM
POLYPROPYLENE

TERMINAL BLOCKS ARE CERAMIC PORCELAIN WITH BRASS TERMINALS

EXPLOSION PROOF HEADS FMCSA CERTIFICATION NEMA 4 RATING


3/4" NPT CONDUIT
1/2" NPT INSTRUMENT



AVAILABLE MATERIALS
CAST ALUMINUM
*STAINLESS STEEL
*EPOXY COATED
*SPECIAL ORDER


TERMINAL BLOCKS ARE BAKELITE

STANDARD 1/2" NPT SCH. 40 GALVANIZED



OTHER SIZES AND MATERIALS ARE AVAILABLE

WELD PADS



1" X 1" STANDARD
SIZING AND BENDING OPTIONAL


STANDARD HEX NIPPLE

1/2" NPT 316SS



OTHER MATERIALS AND SIZES AVAILABLE

TUBE TO PIPE FITTINGS STAINLESS STEEL STANDARD OTHER MATERIALS AVAILABLE



RTD O.D. X NPT	
1/8"	1/8" = 2
3/16"	1/4" = 3
1/4"	1/4" = 4
1/4"	1/2" = 6
3/8"	1/2" = 7
1/2"	1/2" = 8